Healthy living after treatment of childhood, adolescent, and young adult cancer

Chronic Pain after Cancer Treatment

Pain is a common experience during cancer treatment, either from the cancer itself or from the treatment. Usually, after the treatment is finished, there is no more pain. For some people, however, pain continues to be a side effect of either the cancer or its treatment, even when the cancer is in remission and treatment has been completed. For cancer survivors, long-term pain may occur for a variety of reasons, such as damage to bones, joints, or nerves resulting from treatment with radiation, surgery, certain chemotherapy medications, or corticosteroids.

What is the difference between acute and chronic pain?

Acute pain is generally the result of illness (such as cancer), injury and/or surgery and is usually confined to a limited period of time. Acute pain has a biologic purpose, that is, it tells us that we are hurt or ill, so that we can protect ourselves.

Chronic pain lasts after the underlying illness or injury has resolved. Chronic pain is a problem because the longer the pain lasts, the more complicated it might become, particularly in the way it could affect a survivor's quality of life.

Pain is very complex

Healthcare providers used to think that the amount of pain a person had was directly related to the extent of physical damage to body tissue. Healthcare providers now know that the pain people feel is affected by many physical, emotional, and cognitive factors that are unique to each individual.

Recent studies involving new technology to study the brain are confirming that many processes are involved in chronic pain. The experience of pain is the result of a complex interchange of information from many different areas of the brain. These studies have also helped us to understand that pain can sometimes persist (even when the original injury has healed) due to changes in the way the body sends and receives pain signals.

Healthcare providers have learned that different people perceive pain in different ways. These differences can be seen in brain imaging studies as individuals rate their pain to the same source of pain, or "stimulus." That is, some people seem to be very sensitive, whereas others may report little pain even with the same stimulus. While you might be born with some of these differences, environmental factors tend to play an important role too. Factors such as age, sex, developmental level, family and cultural traditions, prior pain experience, and circumstances surrounding the injury all contribute toward how a cancer survivor might interpret, experience, and cope with pain.

Pain and Psychological Health

Psychological factors play a role in the amount of distress that is experienced, or how upsetting the pain might be to each individual. Furthermore, other factors, such as family or work environment, can also affect the ability to cope with pain.

In the case of chronic pain that lasts for months and years, it is possible for cancer survivors to become increasingly depressed if they don't have ways to cope with the pain in a healthy way. Survivors with pain may sometimes become frustrated and angry, especially if pain is preventing them from doing activities

Health Link



The world's childhood cancer experts

Healthy living after treatment of childhood, adolescent, and young adult cancer

that they used to enjoy. If a survivor believes that pain controls his or her life, then they may begin to feel powerless, develop low self-esteem, and avoid taking on challenges and opportunities for growth. Pain can develop into a troublesome cycle. For example, a survivor might stop moving around and doing physical activities because they are afraid of triggering or worsening their pain. However, the less active they are, the weaker their muscles become, which can then worsen the pain.

Sometimes, people begin to anticipate the physical sensations of pain in a fearful way. They may withdraw from social or community activities to avoid having to deal with pain in public situations, and they may increasingly isolate themselves. Depression, anxiety, and chronic stress may follow, which than can make the pain worse. This may also lead to physical changes in the body associated with stress, depression, and anxiety, which can lower the pain thresholds.

How is Pain Treated?

Fortunately, there are ways to manage and cope with chronic pain. Chronic pain can be treated with medicine, without medicine using behavioral treatments (such as relaxation or meditation), or by a combination of the two. Non-medicine treatments can be used along with medications to manage pain during and after cancer treatment. Studies of patients suffering from chronic pain show that training in pain-coping skills can help increase self-confidence and reduce distress from pain. Changes in how a person copes with pain and what they believe about their pain may also produce positive changes in behavior, such as increased exercise, improved pacing of activities, better compliance with medication, and increased participation in social activities.

Behavioral skills can be helpful in treating and coping with pain. Specific techniques include relaxation, meditation, guided imagery, distraction, and redirected thinking, as well as changing thoughts and beliefs about pain and what it means. Other effective approaches include support groups, massage, music, and counseling focused on pain management and behavioral modification.

Additional information about chronic pain is available at www.americanpainsociety.org

Written by Sunita K. Patel, PhD, City of Hope Comprehensive Cancer Center, Duarte, CA. Reviewed by Scott Hawkins, LMSW; Wendy Landier, PhD, CPNP; and Joan Darling, PhD.

Additional health information for childhood cancer survivors is available at www.survivorshipguidelines.org

Note: Throughout this *Health Links* series, the term "childhood cancer" is used to designate pediatric cancers that may occur during childhood, adolescence, or young adulthood. Health Links are designed to provide health information for survivors of pediatric cancer, regardless of whether the cancer occurred during childhood, adolescence, or young adulthood.

Disclaimer and Notice of Proprietary Rights

Introduction to Late Effects Guidelines and Health Links: The Long-Term Follow-Up Guidelines for Survivors of Childhood, Adolescent, and Young Adult Cancers and accompanying Health Links were developed by the Children's Oncology Group as a collaborative effort of the Late Effects Committee and Nursing Discipline and are maintained and updated by the Children's Oncology Group's Long-Term Follow-Up Guidelines Core Committee and its associated Task Forces.

To cancer patients (if children, their parents or legal guardians): Please seek the advice of a physician or other qualified health provider with any questions you may have regarding a medical condition and do not rely on the Informational Content. The Children's Oncology Group is a research organization and does not provide individualized medical care or treatment.

To physicians and other healthcare providers: The Informational Content is not intended to replace your independent clinical judgment, medical advice, or to exclude other legitimate criteria for screening, health counseling, or intervention for specific complications of childhood cancer treatment. Neither is the Informational Content intended to exclude other reasonable alternative follow-up procedures. The Informational Content is provided as a courtesy, but not intended as a sole source

Health Link



The world's childhood cancer experts

Healthy living after treatment of childhood, adolescent, and young adult cancer

of guidance in the evaluation of childhood cancer survivors. The Children's Oncology Group recognizes that specific patient care decisions are the prerogative of the patient, family, and healthcare provider.

No endorsement of any specific tests, products, or procedures is made by Informational Content, the Children's Oncology Group, or affiliated party or member of the Children's Oncology Group.

No Claim to Accuracy or Completeness: While the Children's Oncology Group has made every attempt to assure that the Informational Content is accurate and complete as of the date of publication, no warranty or representation, express or implied, is made as to the accuracy, reliability, completeness, relevance, or timeliness of such Informational Content.

No Liability on Part of Children's Oncology Group and Related Parties: No liability is assumed by the Children's Oncology Group or any affiliated party or member thereof for damage resulting from the use, review, or access of the Informational Content. You agree to the following terms of indemnification: (i) "Indemnified Parties" include authors and contributors to the Informational Content, all officers, directors, representatives, employees, agents, and members of the Children's Oncology Group and affiliated organizations; (ii) by using, reviewing, or accessing the Informational Content, you agree, at your own expense, to indemnify, defend and hold harmless Indemnified Parties from any and all losses, liabilities, or damages (including attorneys' fees and costs) resulting from any and all claims, causes of action, suits, proceedings, or demands related to or arising out of use, review or access of the Informational Content.

Proprietary Rights: The Informational Content is subject to protection under the copyright law and other intellectual property law in the United States and worldwide. The Children's Oncology Group retains excursive copyright and other right, title, and interest to the Informational Content and claims all intellectual property rights available under law. You hereby agree to help the Children's Oncology Group secure all copyright and intellectual property rights for the benefit of the Children's Oncology Group by taking additional action at a later time, action which could include signing consents and legal documents and limiting dissemination or reproduction of Informational Content.