

Scoliosis and Kyphosis after Cancer Treatment


The spine, or “backbone” is actually a group of bones stacked in a straight line down the middle of the back, held together with muscles and ligaments. Treatment for childhood cancer can sometimes result in abnormal curvatures of the spine, known as scoliosis and kyphosis.

What is scoliosis?

Scoliosis is a sideways rotation of the spine. Instead of appearing as a straight line when viewed from the back, the spine appears curved, like the letter “S” or the letter “C.”

Signs of scoliosis may include:

- Uneven shoulder blades
- Uneven hips
- Uneven waist
- “Leaning” of the back to one side
- Head not centered above pelvis
- One leg longer than the other



Scoliosis

Kyphosis

What is kyphosis?

Kyphosis is an abnormal rounding of the upper part of the back. When viewed from the side, it may appear as if the person is slouching or has a “hump” on the back.

What causes scoliosis?

Scoliosis occurs in many young people, especially teenagers, and is most often “idiopathic,” meaning that the cause is not known. However, people who underwent surgery involving the spine or chest, or those who received radiation to the chest, abdomen, or spine, especially when combined with surgery, are at increased risk for uneven development of the muscles, bones, and soft tissues of the back, resulting in scoliosis.

What are the risk factors for scoliosis after treatment for childhood cancer?

People at risk include those who had:

- Surgery involving the spine or chest (not including placement of a central line)
- Radiation to the trunk (including any area from the shoulders down to the pelvis), especially if:
 - The dose was 20 Gy (2000 cGy/rads) or higher.
 - The radiation treatment area was to one half of the chest or abdomen.
 - There was also surgery to the chest, abdomen, or spine.
- A tumor in or near the spine

What causes kyphosis?

Kyphosis sometimes develops from stretching of the spinal ligaments, causing the natural curve of

the spine to increase. Kyphosis can also be caused by uneven development of the back muscles and ligaments as a result of radiation.

What are the risk factors for kyphosis after treatment for childhood cancer?

People at risk include those who had:

- Surgery to the spine, chest, or upper abdomen (not including placement of a central line)
- Radiation to the chest or upper abdomen, especially in doses of 20 Gy (2000 cGy/rads) or higher
- A tumor in or near the spine

How is the diagnosis made?

Signs of scoliosis or kyphosis may be detected on physical examination. X-rays of the spine confirm the diagnosis. Scoliosis is diagnosed when there is at least a 10-degree lateral (side-to-side) curve on the x-ray. Kyphosis is diagnosed when there is at least a 50-degree curve on the x-ray.

What treatment is needed?

Treatment for kyphosis and scoliosis is usually done in stages. The first stage is usually “observation.” During this stage, the curve is closely monitored, especially during periods of rapid growth, such as during puberty. If the curve does not get worse, observation may be all that is necessary.

If the curve progresses, the next step is usually bracing (a plastic body brace worn under the clothing). The goal of bracing is to halt progression or help correct the abnormal spinal curvature.

The final treatment step is surgery. This is done in cases of serious curves that are not manageable with observation or bracing alone.

What monitoring is required?

If scoliosis or kyphosis is suspected, an x-ray of the spine should be obtained. If the curve is more than 10 degrees for scoliosis or more than 50 degrees for kyphosis, a referral is usually made to an orthopedic (bone) specialist.

Written by Wendy Landier, PhD, CPNP, Children's Hospital of Alabama, Birmingham, AL.

Reviewed by Melissa M. Hudson, MD; Debra L. Friedman, MD; Smita Bhatia MD, MPH; Louis S. Constine, MD; and Johanne Soucy, RN, BSN

Image by Emiri Matsuda, BA, Children's Hospital of Alabama, Birmingham, AL. of Elsevier Inc.), 2013.

Additional health information for childhood cancer survivors is available at www.survivorshipguidelines.org

Note: Throughout this *Health Links* series, the term “childhood cancer” is used to designate pediatric cancers that may occur during childhood, adolescence, or young adulthood. Health Links are designed to provide health information for survivors of pediatric cancer, regardless of whether the cancer occurred during childhood, adolescence, or young adulthood.

Disclaimer and Notice of Proprietary Rights

Introduction to Late Effects Guidelines and Health Links: *The Long-Term Follow-Up Guidelines for Survivors of Childhood, Adolescent, and Young Adult Cancers* and accompanying *Health Links* were developed by the Children's Oncology Group as a collaborative effort of the Late Effects Committee and Nursing Discipline and are

maintained and updated by the Children's Oncology Group's Long-Term Follow-Up Guidelines Core Committee and its associated Task Forces.

To cancer patients (if children, their parents or legal guardians): Please seek the advice of a physician or other qualified health provider with any questions you may have regarding a medical condition and do not rely on the Informational Content. The Children's Oncology Group is a research organization and does not provide individualized medical care or treatment.

To physicians and other healthcare providers: The Informational Content is not intended to replace your independent clinical judgment, medical advice, or to exclude other legitimate criteria for screening, health counseling, or intervention for specific complications of childhood cancer treatment. Neither is the Informational Content intended to exclude other reasonable alternative follow-up procedures. The Informational Content is provided as a courtesy, but not intended as a sole source of guidance in the evaluation of childhood cancer survivors. The Children's Oncology Group recognizes that specific patient care decisions are the prerogative of the patient, family, and healthcare provider.

No endorsement of any specific tests, products, or procedures is made by Informational Content, the Children's Oncology Group, or affiliated party or member of the Children's Oncology Group.

No Claim to Accuracy or Completeness: While the Children's Oncology Group has made every attempt to assure that the Informational Content is accurate and complete as of the date of publication, no warranty or representation, express or implied, is made as to the accuracy, reliability, completeness, relevance, or timeliness of such Informational Content.

No Liability on Part of Children's Oncology Group and Related Parties/Agreement to Indemnify and Hold Harmless the Children's Oncology Group and Related Parties: No liability is assumed by the Children's Oncology Group or any affiliated party or member thereof for damage resulting from the use, review, or access of the Informational Content. You agree to the following terms of indemnification: (i) "Indemnified Parties" include authors and contributors to the Informational Content, all officers, directors, representatives, employees, agents, and members of the Children's Oncology Group and affiliated organizations; (ii) by using, reviewing, or accessing the Informational Content, you agree, at your own expense, to indemnify, defend and hold harmless Indemnified Parties from any and all losses, liabilities, or damages (including attorneys' fees and costs) resulting from any and all claims, causes of action, suits, proceedings, or demands related to or arising out of use, review or access of the Informational Content.

Proprietary Rights: The Informational Content is subject to protection under the copyright law and other intellectual property law in the United States and worldwide. The Children's Oncology Group retains exclusive copyright and other right, title, and interest to the Informational Content and claims all intellectual property rights available under law. You hereby agree to help the Children's Oncology Group secure all copyright and intellectual property rights for the benefit of the Children's Oncology Group by taking additional action at a later time, action which could include signing consents and legal documents and limiting dissemination or reproduction of Informational Content.