


## Bladder Health after Childhood Cancer

Certain types of cancer and certain cancer treatments can cause damage to the urinary bladder. The information in this Health Link will help you to recognize signs and symptoms of urinary bladder problems that may occur after treatment with chemotherapy or radiation for childhood cancer.

### What is the urinary bladder?

The **urinary bladder** is a hollow organ that stores urine. It is located behind the pubic bone. The **kidneys** filter the blood and make urine, which enters the bladder through two tubes called "**ureters**". Urine leaves the bladder through another tube, the **urethra**. In women, the urethra is a short tube that opens just in front of the vagina. In men, it is longer, and passes through the prostate gland and then the penis.



### What are the risk factors for bladder problems?

- **Chemotherapy** with cyclophosphamide and/or ifosfamide
- **Radiation** therapy to the pelvic area

### What types of bladder problems can occur?

- **Bleeding** into the bladder (hemorrhagic cystitis)
- **Scarring** (fibrosis) of the bladder
- **Bladder cancer**

### What is hemorrhagic cystitis?

Hemorrhagic cystitis is a condition in which bladder irritation results in **blood in the urine**.

### What are the symptoms of hemorrhagic cystitis?

The urine color may range from **slightly pink to bright red**. Some people may feel like they have to **urinate urgently**, or that they **cannot release all the urine**, but there is

usually no pain. Hemorrhagic cystitis may occur off and on for **months to years** after completion of therapy.

## How is hemorrhagic cystitis diagnosed?

Usually, **blood can be seen in the urine**. Sometimes, the amount of blood in the urine is so small that it is seen only during a **urinalysis** (lab test to examine the urine). When there is blood in the urine, a **urine culture** is usually done to check for infection.

## What can I do if I have hemorrhagic cystitis?

Usually it is helpful to **drink extra fluids** to flush out the bladder. Avoid **tea, coffee, cola beverages, and other fluids containing caffeine** since they may worsen the sudden urge to urinate. If you have kidney or heart problems, check with your healthcare provider before drinking extra fluid.

## When should I call my healthcare provider?

Call your healthcare provider any time you see **blood in the urine**. You should also report any **fever, pain with urination, difficulty urinating, or the need to urinate urgently or frequently**, because these are common symptoms of a urinary tract infection or other bladder problems.

## What is bladder fibrosis?

Bladder fibrosis is **scar tissue in the bladder**. This may build up and cause the bladder wall to thicken. When this happens, the pressure inside the bladder increases. This may affect the bladder's ability to store and empty urine. Over time these changes can lead to damage to the kidneys.

## What are the symptoms of bladder fibrosis?

Problems may include **difficulty emptying the bladder, leakage of urine, or blood in the urine**. Sometimes, bladder fibrosis may not cause any symptoms at all.

## How is bladder fibrosis diagnosed?

**An ultrasound** of the bladder may show **thickening of the bladder wall**. A urologist may also perform a **cystoscopy**, a test that allows the doctor to look directly in the bladder through a thin, lighted tube.

## What can I do if I think I have bladder fibrosis?

If you are at risk for bladder fibrosis and have any of the symptoms described above, you should **see a urologist**.

## When should I call my healthcare provider?

Call your healthcare provider anytime you have **symptoms of bladder fibrosis**, such as difficulty emptying the bladder, leakage of urine, or blood in the urine.

## What other bladder problems can occur after childhood cancer?

**Bladder cancer** is a type of tumor that can develop in people who have been treated with **cyclophosphamide** or **radiation involving the bladder**. This is a **rare** type of secondary cancer due to treatment.

## What are the symptoms of bladder cancer?

The most common symptom is **blood in the urine**. There may also be a need to **urinate urgently or frequently**. If the cancer is advanced at the time of diagnosis, **pain over the bladder, in the genital area, or in the bones** may be present.

## How is bladder cancer diagnosed?

The diagnosis is usually made by doing a cystoscopy to obtain a biopsy of bladder tissue. Sometimes the diagnosis can be made by finding cancer cells in the urine.

## What can I do if I think I have bladder cancer?

If you are concerned about whether your symptoms may represent bladder cancer, ask for a **referral to a urologist**.

---

*Written by Patricia Shearer MD, MS, Pediatric Hematology/Oncology, Ochsner Clinic, New Orleans, Louisiana; Michael Ritchey, MD, Pediatric Urology Associates, Phoenix, Arizona; Fernando A. Ferrer, MD, Department of Surgery, Connecticut Children's Medical Center, Hartford, Connecticut; and Sheri L. Spunt, MD, Hematology/Oncology, St. Jude Children's Research Hospital, Memphis, Tennessee.*

*Reviewed by Jill Meredith RN, BSN, OCN®, Melissa M. Hudson MD, and Joan Darling PhD.*

*Illustrated by Devika Bhatia.*

Additional health information for childhood cancer survivors is available at  
[www.survivorshipguidelines.org](http://www.survivorshipguidelines.org)

**Note:** Throughout this *Health Links* series, the term "childhood cancer" is used to designate pediatric cancers that may occur during childhood, adolescence, or young adulthood. *Health Links* are designed to provide health information for survivors of pediatric cancer, regardless of whether the cancer occurred during childhood, adolescence, or young adulthood.

#### Disclaimer and Notice of Proprietary Rights

**Introduction to Late Effects Guidelines and Health Links:** The "Long-Term Follow-Up Guidelines for Survivors of Childhood, Adolescent, and Young Adult Cancers" and accompanying "Health Links" were developed by the Children's Oncology Group as a collaborative effort of the Late Effects Committee and Nursing Discipline and are maintained and updated by the Children's Oncology Group's Long-Term Follow-Up Guidelines Core Committee and its associated Task Forces.

**To cancer patients (if children, their parents or legal guardians):** Please seek the advice of a physician or other qualified health provider with any questions you may have regarding a medical condition and do not rely on the Informational Content. The Children's Oncology Group is a research organization and does not provide individualized medical care or treatment.

**To physicians and other healthcare providers:** The Informational Content is not intended to replace your independent clinical judgment, medical advice, or to exclude other legitimate criteria for screening, health counseling, or intervention for specific complications of childhood cancer treatment. Neither is the Informational Content intended to exclude other reasonable alternative follow-up procedures. The Informational Content is provided as a courtesy, but not intended as a sole source of guidance in the evaluation of childhood cancer survivors. The Children's Oncology Group recognizes that specific patient care decisions are the prerogative of the patient, family, and healthcare provider.

No endorsement of any specific tests, products, or procedures is made by Informational Content, the Children's Oncology Group, or affiliated party or member of the Children's Oncology Group.

**No Claim to Accuracy or Completeness:** While the Children's Oncology Group has made every attempt to assure that the Informational Content is accurate and complete as of the date of publication, no warranty or representation, express or implied, is made as to the accuracy, reliability, completeness, relevance, or timeliness of such Informational Content.

**No Liability on Part of Children's Oncology Group and Related Parties/ Agreement to Indemnify and Hold Harmless the Children's Oncology Group and Related Parties:** No liability is assumed by the Children's Oncology Group or any affiliated party or member thereof for damage resulting from the use, review, or access of the Informational Content. You agree to the following terms of indemnification: (i) "Indemnified Parties" include authors and contributors to the Informational Content, all officers, directors, representatives, employees, agents, and members of the Children's Oncology Group and affiliated organizations; (ii) by using, reviewing, or accessing the Informational Content, you agree, at your own expense, to indemnify, defend and hold harmless Indemnified Parties from any and all losses, liabilities, or damages (including attorneys' fees and costs) resulting from any and all claims, causes of action, suits, proceedings, or demands related to or arising out of use, review or access of the Informational Content.

**Proprietary Rights:** The Informational Content is subject to protection under the copyright law and other intellectual property law in the United States and worldwide. The Children's Oncology Group retains exclusive copyright and other right, title, and interest to the Informational Content and claims all intellectual property rights available under law. You hereby agree to help the Children's Oncology Group secure all copyright and intellectual property rights for the benefit of the Children's Oncology Group by taking additional action at a later time, action which could include signing consents and legal documents and limiting dissemination or reproduction of Informational Content.